

Progress Report  
Monday, December 21, 2020

# Evaluation of Measures to Reduce Wildlife-Vehicle Collisions and Promote Connectivity in a Sonoran Desert Environment – State Route 77

*Santa Catalina – Tortolita Mountain Corridor*

Presented to the: Regional Transportation Authority



Submitted by the:  
Arizona Game and Fish Department  
Wildlife Contracts Branch



Collaborators Include:



## **INTRODUCTION**

With continued human population growth and ongoing investment in transportation infrastructure, there is growing interest in excluding wildlife from roadways for safety reasons, in addition to maintaining landscape connectivity for wildlife populations (Bissonette and Adair 2008, Huijser et al. 2008). This concern has generated an interest in safe crossing structures for wildlife by both transportation and resource management agencies as a tool for mitigating the negative interactions between roadways and wildlife (Forman et al. 2003, Huijser et al. 2008).

Work toward habitat conservation has been a priority for Pima County since the inception of the Sonoran Desert Conservation Plan in 1999. In 2001, a team of biologists identified biologically-important lands. Part of this analysis included six “Critical Landscape Connections,” or lands that have been shown to have landscape barriers between protected areas. The Santa Catalina Mountains – Tortolita Mountains linkage is one of these Critical Landscape Connections.

Although connection of the unique sky island ecosystems in southern Arizona has long been a priority for many, in 2004 local stakeholders had the opportunity to identify specific areas where habitat connectivity efforts should be focused through a statewide workshop hosted by the Arizona Wildlife Linkages Workgroup (AWLW, Nordhaugen et al. 2006). This workshop identified 152 potential linkage zones across the state. Linkage #81 identified the importance of the connection between the Santa Catalina and Tortolita Mountains for various wildlife species, with State Route (SR) 77 as the primary barrier to wildlife movements (Figure 1). With the imminent widening of SR 77, it was essential to determine where efforts to provide connectivity should be focused. Through least-cost modelling efforts that included information for 9 different species and thorough linkage zone evaluations, three main corridors across SR 77 were identified (Beier et al. 2006). Ultimately, through coordination between multiple entities, that included natural resource and transportation and wildlife agencies, NGO’s and landowners, the main southernmost corridor was selected for wildlife crossing opportunities. In May 2006, Pima County residents voted for the half-cent excise tax to fund the Regional Transportation Plan, a comprehensive transportation plan including 2.1 billion dollars for transportation planning throughout Pima County. A portion of this funding is reserved to address wildlife connectivity and linkage plans associated with roadway development and improvement within Pima County. With financial support from Pima County’s Regional Transportation Authority (RTA), implementation of wildlife crossings became a reality when the RTA approved a total of \$11 million for a large wildlife overpass and a large wildlife underpass across SR 77 in 2009.

In 2014, the Arizona Department of Transportation (ADOT) began upgrading key sections of SR 77 within the identified corridor. As SR 77 is expanded and the two wildlife crossing structures are built, we are presented with a unique opportunity to evaluate conservation measures that will allow for the safe passage of wildlife across this roadway, while simultaneously increasing motorist safety. These wildlife crossing structures are located in a zone of high wildlife mortality (Ostergaard 2006), Sky Island Alliance, unpublished data) and

2020-12-21

– along with wildlife funnel fencing – are designed to reduce wildlife-vehicle collisions (WVCs).

Though wildlife crossing structures have recently become more common in North America as a means to enhance permeability and reduce wildlife-vehicle collisions for a range of wildlife species, there is limited information on the efficacy of crossing structures in promoting permeability in the Sonoran Desert. While examples of successful crossing structures for large animals exist in other ecosystems (Clevenger and Waltho 2000, Gagnon et al. 2011, Sawyer et al. 2012), this is the first time that an overpass will be constructed in the Sonoran Desert. It is within the context of the Sonoran Desert's unique habitat and species assemblages that we propose to implement a monitoring program to evaluate the effectiveness of the crossing structures in an effort to document the multiple species benefits that the structures are designed to provide.

Given the commitment by ADOT and RTA to ensure motorist safety and mitigate the effects of the newly constructed SR 77 on local wildlife populations, as well as its status as one of the first comprehensive efforts to promote wildlife connectivity within the Sonoran Desert, evaluation of the crossing structures on SR 77 is necessary to determine their success. Effectiveness monitoring will be conducted by the AGFD Wildlife Contracts Branch in cooperation with ADOT Environmental Planning Group, the Coalition for Sonoran Desert Protection, and Sky Island Alliance. Monitoring activities will include camera documentation of wildlife use of the passage structures and tracking of WVC incidence, and desert tortoise movement monitoring. ADOT Environmental Planning Group, in cooperation with AGFD, have already invested substantial resources into the incorporation of a wildlife video surveillance system at the overpass along with still cameras at the underpass. The Coalition for Sonoran Desert Protection has invested substantial resources into documenting wildlife occurrence in the vicinity of the project with their volunteer-supported Remote Wildlife Camera Project that they started in 2012. The Coalition has over 30 volunteers monitoring 18 motion-activated wildlife cameras in the project area. The Coalition has also been instrumental in garnering public support for the project. Sky Island Alliance conducts wildlife tracking workshops in the area, has a group of volunteers that regularly monitor transects for wildlife tracks, and has recently launched an iNaturalist project in the area (iNaturalist is an online platform that enables citizens to record wildlife sightings).

Information gathered from this monitoring effort will inform the design and management of future wildlife crossing projects for the benefit of multiple species across multiple ecosystems. The insights we gain from this project will be extremely valuable for finding solutions to wildlife-highway conflicts in southern Arizona and fill a significant information gap.




Figure 1. Least-cost linkage design for the Tucson, Tortolita, and Santa Catalina mountains and location of study area. Map from Beier et al. 2006.

**RESEARCH OBJECTIVES**

This project will utilize a staged approach to allow documentation of WVC and wildlife use of the overpass, underpass and associated funnel fencing. The specific objectives and associated procedures of our proposed SR 77 research project include:

1. Assess wildlife use and passage rates of the wildlife crossings using integrated video and still camera surveillance.
2. Investigate wildlife-vehicle collision patterns along SR 77.
3. Monitor movements of Sonoran Desert tortoise and activity centers in relation to SR 77.
4. Provide recommendations for the adaptive management/maintenance of the structures and fencing as well as recommendations to guide future projects in southern Arizona.

**Objective 1: Assess wildlife use and passage rates of the wildlife crossings using integrated video and still camera surveillance**

Given the tremendous commitment by ADOT and RTA to provide wildlife crossing structures to reduce motorist collisions with wildlife and mitigate the impact of highway barrier effects, it is essential to evaluate their level of acceptance by Sonoran Desert wildlife. This is the primary objective of the post-construction monitoring study. To accomplish this objective, we are using 8-camera video (overpass) and rapid-still frame cameras (e.g., Reconyx®, underpass). Video and still cameras provide detailed documentation of wildlife use and behavior in and near the newly constructed wildlife crossings along SR. We also installed backup Reconyx® cameras on the overpass to ensure no loss of data, in the event of short-term video system failures. Long-term evaluation of the wildlife crossings is essential for a proper evaluation and future recommendations (Gagnon et al. 2011). All surveillance equipment was installed by AGFD and ADOT during the highway construction.



**Figure 2. Structure surveillance system components: video camera with infra-red lights (left) with still camera (right) as backup documentation at the overpass and to capture wildlife use at the underpass.**

**Image data has been analyzed from project inception (April 8<sup>th</sup>, 2016) to October 29<sup>th</sup>, 2020. This represents over four and a half years of monitoring at the crossing structures, monitoring will continue at both structures to assess utilization trends over time for various species and compliment deer movement data collected as part of Secretarial Order 3362 (see Supplemental Objective on Page 19 for more information).**

A total of 28 native vertebrate species have been documented at the crossing structures, 12 at the overpass, and 27 at the underpass. Of these, 20 have been documented crossing SR77, 11 at the overpass, and 19 at the underpass (Table 1).

**Table 1. Species detected and documented at crossing structures to October 29th, 2020.**

Species	Overpass		Underpass	
	Detected	Crossed	Detected	Crossed
American Badger			X	X
Antelope Jackrabbit	X	X	X	X
Barn Swallow			X	X
Black-tailed Jackrabbit	X	X	X	X
Black-throated Sparrow			X	
Bobcat	X	X	X	X
Cactus Wren			X	
Common Raven			X	X
Coyote	X	X	X	X
Desert Cottontail	X	X	X	X
Desert Spiny Lizard			X	
Gambel's Quail	X	X	X	X
Gila Woodpecker			X	
Gray Fox	X	X	X	X
Greater Roadrunner	X	X	X	X
Harris's Antelope Squirrel			X	
Javelina	X	X	X	X
Mourning Dove			X	X
Mule Deer	X	X	X	X
Raccoon			X	
Rock Squirrel			X	X
Striped Skunk			X	
Tiger Whiptail			X	X
Unidentifiable Bat			X	
Unidentifiable Hummingbird	X		X	X
Unidentifiable Pack Rat	X	X		
White-nosed Coati			X	X
White-tailed Deer			X	X

12655 wildlife crossings have been documented across both structures, with 6684 and 5971 at the overpass and underpass respectively. Mule deer, javelina, and coyote utilize the overpass most regularly with 5211, 776, and 576 documented crossings respectively. At the underpass javelina, coyote, and mule

deer are again the most regularly documented species with 2483, 2029, and 1123 crossings respectively (Table 2). Along with bobcat, these species account for over 98% of documented crossings at each structure. Other species of note observed crossing through the underpass include, a white-nosed coati in September 2017, and a white-tailed deer in January 2019.


**Table 2. Number of crossings by species collected through camera surveillance to April 8th, 2020.**

Species	Overpass	Underpass	Combined
Mule Deer	5211	1123	6334
Javelina	776	2483	3259
Coyote	576	2029	2605
Bobcat	57	245	302
Other	64	91	155
<b>Totals</b>	<b>6684</b>	<b>5971</b>	<b>12655</b>

Several disturbances have been documented at both structures, the most impactful to monitoring efforts has been the theft of monitoring cameras at the underpass in November 2016. This resulted in a total loss of data from October 11<sup>th</sup>, 2016 to November 18<sup>th</sup>, 2016 when monitoring cameras were installed on the ceiling of the structure to reduce the risk of theft. Unfortunately, this orientation proved less effective in detecting wildlife and cameras were remounted in their original configuration in July 2017. Regular encroachment by cattle was documented at the overpass from October 2016 to January 2017 and during December 2017.


Human activity at the overpass was lower over the past 12 months when compared to the previous 12, with an average of 3.3 instances of human presence per month versus 4.3 instances. Human activity at the underpass has been greater over the past 12 months when compared to the previous 12, averaging 10.2 versus 7.4 instances of human presence per month.

Observed crossing accumulation trends at the overpass show that mule deer crossing rates have been increasing over the past 2 years, suggesting utilization by mule deer has not yet peaked (Figure 3). Javelina crossings have continued to be documented at an increased rate since July 2018 and are now more regularly observed than coyotes. Bobcat use continues to be documented at a low rate.



**Figure 3. Wildlife use of the overpass located on SR77 to September 30, 2020.**


**As has been noted previously, trends at the underpass have been more difficult to track given the disruption to monitoring during 2016 and 2017. However, crossings accumulated at a similar rate at the underpass prior to theft in October 2016 and after reinstallation of the original orientation in July 2017 (Figure 4). Mule deer crossing rates have slowed over the last 12 months.**



**Figure 4. Wildlife use of the underpass located on SR 77 to September 30, 2020.**

**The Bighorn Fire, which burned from June 5, 2020 and was contained at 119,987 acres on July 23, 2020 was active within 2.5 miles of the crossing**


structures at its closest approach. Helicopter operations associated with the fire response were also staged within a quarter mile of the overpass, east of SR77 (Figure 5). A preliminary review of wildlife crossing trends for June, July, and August of 2020 when compared to the same period in 2017, 2018, and 2019 did not suggest a clear wildlife response to the Bighorn Fire at the crossing structures.




**Figure 5. Bighorn Fire perimeter and helicopter operations staging in relation to wildlife crossing locations.**

Two novel species were detected at the crossing structures between June 1, 2020 and August 31, 2020: black-throated sparrow, and Harris's antelope squirrel. Both species were detected at the underpass and represented by a single individual, neither were documented to cross at the structure. The four most commonly detected species at each structure (mule deer, javelina, coyote, bobcat) continued to account for over 98% of documented crossings at each structure during this period.

Temporal patterns remained consistent with those observed in previous years for the most commonly detected species, as illustrated by mule deer crossing trends (Figures 6 & 7). During both periods mule deer primarily utilized both structures at night, with a clear peak at the overpass around dawn. Few crossings during daylight hours were recorded at either structure during either period.



**Figure 6. Mean annual mule deer crossings by hour for the months of June, July, and August, years 2017, 2018, and 2019.**



**Figure 7. Mule deer crossings by hour for the months of June, July, and August of 2020.**

**Total wildlife crossings at both structures were similar in June and July of 2020 when compared to the 2017 to 2019 mean for the same months. This was true for August at the overpass while crossings at the underpass dropped considerably in August of 2020 when compared to the August 2017 to 2019 mean. This pattern generally held across species. A review of crossings by direction of travel for 2020 also revealed patterns consistent with those observed from 2017 to 2019. At both structures over 50% of crossings were from east to west in June and July across both periods, this was also the case for August at the overpass. In August at the underpass, 51% of crossings were from west to east from 2017 to 2019, this rose to 74% for August 2020, driven primarily by javelina and coyote.**


**This data relates only to the trends observed at the crossing structures and is not representative of the wider effects of the Bighorn Fire on wildlife. The distance from the structures to the fire perimeter in combination with the relatively lower elevation of the structures when compared to the burned areas may account for the apparent lack of influence upon wildlife use of the crossing structures.**



**Figure 8. Examples of wildlife and non-wildlife events documented at the SR 77 overpass and underpass.**

**Objective 2: Investigate wildlife-vehicle collision patterns along SR 77**

Determining the number and composition of roadkill following completion of the two wildlife crossings and funnel-fencing along the newly improved stretch of SR 77 will allow for understanding their combined effectiveness in reducing collisions for various species types (mammal, reptile, amphibian, bird). It is essential to thoroughly collect data on larger wildlife, which is a higher safety concern to motorists, and equally important to document roadkill trends for smaller species important to the Sonoran Desert ecosystem. Studies conducted elsewhere in Pima County documented a large portion of game species along with other birds, mammals, reptiles and amphibians were killed on local roads. Although, pre-construction roadkill data along SR 77 was “opportunistic” and emphasis was placed on large mammals, it nevertheless provided a sample of species found prior to construction (Ostergaard 2006). Additional intensive roadkill studies will be important to determine the effectiveness of the fencing in excluding both large and smaller animals from SR 77 and guiding them to wildlife crossings and culverts.



**Figure 9. Map showing alignment of wildlife funnel-fencing and the complexities that will need to be accounted for (e.g. fencing distance from road) during roadkill analysis. Map courtesy Coalition for Sonoran Desert Protection.**

2020-12-21

Funnel-fencing associated with most highway projects is generally placed along the right-of-way on each side of the road. Along the SR 77 project, designers have been forced to deviate from this traditional alignment and take the fencing away from the road to avoid local communities/business (Figure 9). This orientation provides a unique opportunity to evaluate the effectiveness of fencing as it is pulled away from the road and encompasses additional habitat. These differences will be accounted for during roadkill analysis and we will compare their relative effectiveness.

#### Roadway Walking Surveys

To accomplish this objective we will conduct road-kill surveys between MP 80.8 (CDO Bridge) and MP 86.0 (Hawser St) focusing on peak roadkill times identified through nearby mortality studies on Tangerine Road (Lowery et al. 2011). Roadkill surveys will begin ½ hour before sunrise in order to minimize the loss of wildlife mortalities due to scavenger activity. We will document all road-killed wildlife by species and location. The complete road right-of-way will be surveyed (i.e., the area between the two right-of-way boundary fences). In areas where the wildlife funnel-fencing has been pulled back from the road we will still only evaluate the area associated with the ADOT right-of-way. All individual mortalities will be marked or removed from the roadway once they are recorded. We will compare the frequency of road mortalities for several taxonomic groups (i.e., amphibians, lizards, snakes, small mammals, carnivores, and ungulates) with the expectation that the frequency of road mortality should be lower on the segment of road where wildlife fencing has been installed on both sides of SR 77 versus area where only one side is fenced adjacent to SR 77, or fence ends.

#### Roadway Driving Surveys

Daily walking surveys will complement daily driving surveys along the remainder of the project area (approximately 4 miles). A single surveyor will drive along the edge of the paved roadway at 25 – 30 mph and scanned for larger-sized mortalities (i.e., rabbit and larger) or unusual (e.g. snakes, Gila monsters, desert tortoises, etc.) wildlife that otherwise might go undetected between alternating survey segments which were not scheduled to be intensively walked until the following days. This strategy will minimize loss of detections due to scavenger removal of animal remains across the project area. In addition, this method will allow for the collection of data points which would be removed by passers-by, degraded by repeated friction by passing vehicles, and extreme environmental conditions. Detections during the driving segments will be recorded on physical data forms and exact coordinates will be documented using the AGFD Roadkill App. Roadway driving survey data will then be added to the overall road mortality database prior to analysis.

Additionally, the project team will coordinate with AGFD, ADOT, Pima County, DPS, Coalition for Sonoran Desert Protection, Tucson Audubon Society, Sky Island Alliance, and local volunteers to document and compile a comprehensive list of roadkill throughout the duration of the study.

**Road mortality surveys were completed in August 2018, a preliminary review of results can be found in the March 15, 2019 progress report.**

**Objective 3: Monitor movement of Sonoran Desert tortoise in relation to SR 77**

As with most wildlife species, roads are a nearly impermeable barrier to Sonoran Desert tortoises (SDT). Tortoises rarely cross roads due to their lack of mobility and they suffer high rates of mortality when they do attempt to cross. There is speculation that wildlife crossings can facilitate movement of desert tortoise across roads, however opportunities to evaluate the effectiveness of wildlife crossings for this species have been limited to date (Leavitt and Hoffman 2014). During the early stages of construction, project personnel removed several tortoises from the construction site, including one that attempted crossing through the underpass in October 2015 (Figure 10).



**Figure 10. Sonoran Desert tortoise found in the wildlife underpass during construction, tracks in underpass that alerted contractor (upper left), leading to location of tortoise in underpass (right) for safe removal from the site (lower left).**

The tortoise population in the vicinity of the SR 77 wildlife crossings provides a unique opportunity to determine the combined effectiveness of an overpass, underpass, and multiple culverts linked with funnel fencing in minimizing road mortality while allowing for habitat connectivity for SDT. This knowledge is essential for long-term population persistence of desert tortoise and coexistence with humans as populations increase and additional infrastructure is required to accommodate this growth.

Tortoises are infrequently detected on wildlife cameras even where they are abundant (Leavitt and Hoffman 2014). However, GPS telemetry has proven an effective method to determining permeability of wildlife species across roadways and is an appropriate approach for Sonoran desert tortoise (Dodd et al. 2007a, Dodd and Gagnon 2011, Gagnon et al. 2013).

2020-12-21

To evaluate SDT movements along SR 77 we conducted visual surveys for the presence of SDTs and their sign adjacent to SR 77. These surveys were conducted on foot by qualified AGFD biologists where rights-of-entry have been granted. Upon detecting a live SDT, we fit the tortoises with a VHF radio-transmitter (Holohil RI-2B) and a GPS tracking unit. GPS tracking units are replaced monthly and data will be downloaded into ArcGIS so that we may estimate home range size, activity patterns, and movement corridors for each individual.

**Between June and September 2020 tortoise crews conducted 12 evening surveys around the wildlife crossing structures to locate and outfit additional tortoises with GPS transmitters. Surveys focused on suitable habitat within a half mile of SR77 between mileposts 83 and 86. Tortoise detection was hampered by an unusually dry monsoon, nonetheless, seven additional tortoises were located and outfitted with GPS units during 2020 (Figure 11). No new tortoises were located west of SR77, although recent scat was detected at two locations within a half mile of the underpass.**

**In total, 30 tortoises have been outfitted with VHF and GPS transmitters over the course of the project, 13 of which are currently being tracked. GPS transmitters were pulled for the 2020 tracking season in October 2020. Figure 12 shows movement data collected so far. No tortoises have been documented to cross SR77 without human assistance, however, we continue to document regular tortoise activity in close proximity to the underpass. GPS transmitters will be redeployed for the 2021 tracking season in March 2021.**




Figure 11. Location of new tortoise captures in 2020.




Figure 12. GPS locations from tracked tortoises from inception through the 2020 deployment season, each color represents a distinct individual.

**Objective 4: Provide recommendations for the adaptive management of the structures as well as recommendations to guide future projects in southern Arizona.**

Using lessons learned from the implementation of the SR 77 structures and fencing, combined with current literature and research findings, we will provide general recommendations regarding the applicability of these measures for use in other scenarios throughout southern Arizona and the southwest.

- **Ongoing**
- **Participating in the development of recommendations for designs and alignments of ROW wildlife fencing in urban residential settings.**
- **Identified the need for scheduled survey and maintenance of installed ROW wildlife fence and crossing guards to detect and mitigate breaches caused by wear and tear, erosion, vandalism, carelessness, and traffic collisions. Several access points for tortoise, coyote, and javelina have been identified.**

**Supplemental Objective: Monitor movement of mule deer in relation to SR 77 and wildlife crossing structures.**


In response to Secretarial Order # 3362, Improving Habitat Quality in Western Big-Game Winter Range and Migration Corridors, AGFD secured funding to evaluate mule deer movements within the Catalina-Tortolita corridor. Mule deer crossings of SR77 at the wildlife overpass and underpass have been well documented by camera, however, it is unclear whether deer are completing movements between the two mountain ranges.



**Figure 11. Two collared mule deer bucks traversing the SR77 wildlife overpass.**

In late February of 2019 20 mule deer were collared in and around the Catalina-Tortolita corridor in a landscape-scale effort to assess the effectiveness of wildlife crossings in relation to targeted corridor conservation. Data collected from these individuals will provide important context when evaluating the landscape-scale conservation value of the SR77 mitigation measures and crossing structures in addition to their already demonstrated value in reducing wildlife-vehicle-collisions by facilitating mule deer highway crossings.

**Over 70,000 GPS locations from 20 mule deer have been recorded within the Catalina-Tortolita corridor between February 25, 2019 and September 14, 2020 (Figure 12). Regular crossings of SR77 within the redeveloped section have been documented by two individuals which were collared in proximity to the wildlife underpass. Crossing patterns are strongly associated with the two wildlife crossing structures. Seven mortalities of collared deer have been recorded, two being mountain lion kills, two of unknown cause, and three vehicle collisions. Vehicle collisions with collared deer occurred on SR77 at the northern terminus of the wildlife fence, on SR77 east of Oracle Junction, and on Rancho Vistoso Boulevard at the Big Wash bridge. We plan to redeploy recovered collars in 2021.**



**Figure 12. GPS locations from collared mule deer from February 25, 2019 through September 14, 2020, each color represents a distinct individual.**

**PROJECT SCHEDULE AND DELIVERABLES**

Upon completion of the wildlife crossings and fencing in 2016, along with installation of camera systems by AGFD and ADOT, AGFD with support and assistance from multiple stakeholders/volunteers AGFD began a three-year evaluation of wildlife crossing use and desert tortoise movements funded by RTA and AGFD. The project was initiated in April 2016. A no cost project extension was completed in February 2020 to extend the project until 2026 to allow additional long-term monitoring data collection.

<b>Project Deliverable</b>	<b>Completion date(s)</b>
Project status reports	Twice per year
Final Project Report	NTE 1 year following completion of monitoring
Scientific journal manuscripts	Various during and after the project
Professional/scientific symposia presentations	Various during and after the project

2020-12-21

## **PROJECT IMPLEMENTATION CONTACTS**

Arizona Game and Fish Department will oversee implementation of mitigation monitoring with the following team members:

Jeff Gagnon, Statewide Research Biologist  
Arizona Game and Fish Department  
5000 W. Carefree Highway  
Phoenix, AZ 85086-5000  
Cell: 928.814.8925  
E-mail: [jgagnon@azgfd.gov](mailto:jgagnon@azgfd.gov)

Colin Beach, Lead Field Biologist  
Arizona Game and Fish Department  
5000 W. Carefree Highway  
Phoenix, AZ 85086-5000  
Cell: 623.201.9100  
E-mail: [cbeach@azgfd.gov](mailto:cbeach@azgfd.gov)

Scott Sprague, Senior Research Biologist  
Arizona Game and Fish Department  
5000 W. Carefree Highway  
Phoenix, AZ 85086-5000  
Cell: 480.528.4686  
E-mail: [ssprague@azgfd.gov](mailto:ssprague@azgfd.gov)

Chad Loberger, Field Biologist  
Arizona Game and Fish Department  
5000 W. Carefree Highway  
Phoenix, AZ 85086-5000  
Cell: 928.863.8683  
E-mail: [cloberger@azgfd.gov](mailto:cloberger@azgfd.gov)

Chad Rubke, Research Biologist  
Arizona Game and Fish Department  
5000 W. Carefree Highway  
Phoenix, AZ 85086-5000  
Cell: 623.695.9555  
E-mail: [crubke@azgfd.gov](mailto:crubke@azgfd.gov)

2020-12-21

### **PROJECT COLLABORATOR CONTACTS**

Multiple collaborators will provide support and be involved with the project at various levels, these include:

#### Coalition for Sonoran Desert Protection

Carolyn Campbell, Executive Director  
Coalition for Sonoran Desert Protection  
300 East University Blvd #120  
Tucson, AZ 85705  
Phone: 520.388.9925  
[Carolyn.Campbell@sonorandesert.org](mailto:Carolyn.Campbell@sonorandesert.org)

Kathleen Kennedy, Program and Development Coordinator  
Coalition for Sonoran Desert Protection  
300 East University Blvd #120  
Tucson, AZ 85705  
Phone: 520.388.9925  
Email: [Kathleen.Kennedy@sonorandesert.org](mailto:Kathleen.Kennedy@sonorandesert.org)

#### Arizona Department of Transportation

Justin White, Roadside Resource Manager  
Arizona Department of Transportation  
1611 W. Jackson St.  
Phoenix, AZ 85007  
Phone: 602.712.7769  
Email: [JWhite@azdot.gov](mailto:JWhite@azdot.gov)

#### Tucson Audubon Society

Christina McVie, Conservation Chair  
Tucson Audubon Society  
300 E University Blvd, #120  
AZ 85705  
Phone: 520.629.0510  
Email: [christina.mcvie@gmail.com](mailto:christina.mcvie@gmail.com)

#### Sky Island Alliance

Louise Misztal, Conservation Director  
406 S. 4th Ave  
Tucson, AZ 85701  
520-624-7080  
[louise@skyislandalliance.org](mailto:louise@skyislandalliance.org)

## LITERATURE CITED

- Beier, P., E. Garding, and D. Majka. 2006. Arizona Missing Linkages: Tucson – Tortolita – Santa Catalina Mountains Linkage Design. Report to Arizona Game and Fish Department. School of Forestry, Northern Arizona University.
- Bissonette, J. A., and W. Adair. 2008. Restoring habitat permeability to roaded landscapes with isometrically-scaled wildlife crossings. *Biological Conservation* 141:482-488.
- Clevenger, A. P., and N. Waltho. 2000. Factors Influencing the Effectiveness of Wildlife Underpasses in Banff National Park, Alberta, Canada. *Conservation Biology* 14:47-56.
- Dodd, N. L., and J. W. Gagnon. 2011. Influence of underpasses and traffic on white-tailed deer highway permeability. *Wildlife Society Bulletin* 35:270-281.
- Dodd, N. L., J. W. Gagnon, S. Boe, and R. E. Schweinsburg. 2007a. Assessment of Elk Highway Permeability by Using Global Positioning System Telemetry. *Journal of Wildlife Management* 71:1107-1117.
- Dodd, N. L., J. W. Gagnon, A. L. Manzo, and R. E. Schweinsburg. 2007b. Video Surveillance to Assess Highway Underpass Use by Elk in Arizona. *Journal of Wildlife Management* 71:637-645.
- Forman, R. T. T., D. Sperling, J. A. Bissonette, A. P. Clevenger, C. D. Cutshall, V. H. Dale, L. Fahrig, R. France, C. R. Goldman, K. Heanue, J. A. Jones, F. J. Swanson, T. Turrentine, and T. C. Winter. 2003. *Road Ecology; Science and Solutions*. Island Press, Covelo, CA.
- Gagnon, J. W., N. L. Dodd, K. S. Ogren, and R. E. Schweinsburg. 2011. Factors associated with use of wildlife underpasses and importance of long-term monitoring. *Journal of Wildlife Management* 75:1477-1487.
- Gagnon, J. W., N. L. Dodd, S. C. Sprague, R. E. Nelson, C. D. Loberger, S. Boe, and R. E. Schweinsburg. 2013. Elk movements associated with a high-traffic highway: Interstate 17. Final project report 647, Arizona Department of Transportation Research Center, Phoenix, AZ.
- Huijser, M. P., P. McGowen, J. Fuller, A. Hardy, A. Kociolek, A. P. Clevenger, D. Smith, and R. Ament. 2008. Wildlife-vehicle collision reduction study. Report to Congress. U.S. Department of Transportation, Federal Highway Administration, Washington D.C., USA.
- Leavitt, D. J., and H. A. Hoffman. 2014. Assessing the efficacy of desert tortoise fencing and crossing structures between mile posts 204-206 on State Route 87. Report to Arizona Department of Transportation. Arizona Game and Fish Department, Phoenix, AZ.

2020-12-21

Lowery, S. F., S. T. Blackman, and D. D. Grandmaison. 2011. Tangerine Road and La Cholla Boulevard mortality hotspot evaluation. Prepared for Town of Oro Valley Public Works Operations Division and Town of Marana Environmental Engineering Division, Pima County, Arizona. Arizona Game and Fish Department. January 2011.

Nordhaugen, S. E., E. Erlandsen, P. Beier, B. D. Eilerts, R. E. Schweinsburg, T. Brennan, T. Cordery, N. L. Dodd, M. Maiefski, J. Przybyl, S. Thomas, K. Vacariu, and S. Wells. 2006. Arizona's Wildlife Linkages Assessment.

Ostergaard, E. 2006. Wildlife Mortality and Corridor Use near Highway 77, Oro Valley to Catalina, Pima County, Arizona.

Sawyer, H., C. Lebeau, and T. Hart. 2012. Mitigating roadway impacts to migratory mule deer-A case study with underpasses and continuous fencing. Wildlife Society Bulletin 36:492-498.

2020-12-21